



**High-impact, precision  
full colour that lasts**


**BradyJet Colour Label Printers**

# High-impact, precision full colour that lasts

Printing logos, icons, pictures and complex procedures means you need a lot of two things: one is materials and two is time. That is, if you're using the wrong printer. What you need is an inkjet printer that can balance the complexity of safety and compliance labels with the demands of an industrial environment. Say hello to the BradyJet family of industrial inkjet printers.

Get photo-quality, full-colour labels whenever you need them while reducing your inventory of labelling supplies and material waste. BradyJet printers let you create the compliant, long-lasting labels, signs and tags you need to create a safer, more efficient workplace.

- **Create compliant labels and signs** - Trust your regulatory labelling offers the colours needed for ISO, CLP/ GHS, BS5609, ANSI and much more
- **Extend label performance** - Rely on specially formulated materials and ink designed to stand up to harsh environments
- **Maximise impact, improve efficiency and reduce waste** - Stock and print only what you need, when you need, in photo-quality full-colour every time





## BradyJet J2000 Colour Label Printer

Smaller labels and volume don't lessen the impactful colour identification you need. The BradyJet J2000 quickly and easily creates any colour you need for specific regulations and effective identification - but not at the expense of productivity. This compact mid-volume inkjet solution is capable of producing up to 3,000 labels per day up to 101.6 mm wide to deliver the full-colour labels and signs everywhere you need them.

- **Precise identification quickly** - More efficient printing means you keep your workplace running smoothly and safely
- **Fits your work style and space** - Thanks to its lightweight, compact footprint, the BradyJet J2000 can be moved easily wherever your work demands



### Specifications

| Software and Connectivity            |   |
|--------------------------------------|---|
| Connectivity Options                 | USB   |
| Software Compatibility               | Brady Workstation<br>Windows based driver for 3rd party software use  |
| User Interface Type                  | PC  |
| Operating System                     | Windows® 7, Windows® 8, Windows® 10   |
| Physical/Operational Characteristics |   |
| Dimensions                           | 264.16 mm (W) x 180.34 mm (H) x 388.62 mm (D)   |
| Weight (kg)                          | 3.20  |
| Printer Features                     |   |
| Recommended Usage per Day            | 3000  |
| Print Technology                     | Inkjet  |
| Colour Capability                    | Full Colour   |
| Print Resolution (dpi)               | 4800  |
| Max. Print Width (mm)                | 101.60  |
| Max. Label Width (mm)                | 101.60  |
| Max. Print Length (mm)               | 609.60  |
| Media Format                         | Media on Roll and Ink in Cartridge, supplied separately   |
| Print Speed (mm/sec)                 | 63.50   |
| Includes                             | This kit contains a J2000 printer, a power cord and AC adapter, a USB cable, a Quick Start Guide, an ink cartridge, a material roll for printhead alignment, a USB stick with drivers and manuals and a Brady Workstation Basic Suite |
| Display                              | None  |

### Printers

| Article No. | Order Ref.     | Description  |
|-------------|----------------|--|
| 150157      | J2000-UK       | BradyJet J2000 Colour Label Printer - UK                                   |
| 150159      | J2000-EU       | BradyJet J2000 Colour Label Printer - EU                                   |
| 150162      | J2000          | BradyJet J2000 Colour Label Printer - US                                   |
| 199966      | J2000-EU-LABS  | BradyJet J2000 Colour Label Printer - EU with Brady Workstation LAB Suite  |
| 199967      | J2000-UK-LABS  | BradyJet J2000 Colour Label Printer - UK with Brady Workstation LAB Suite  |
| 199968      | J2000-EU-SFIDS | BradyJet J2000 Colour Label Printer - EU with Brady Workstation SFID Suite |
| 199969      | J2000-UK-SFIDS | BradyJet J2000 Colour Label Printer - UK with Brady Workstation SFID Suite |
| 199971      | J2000-US-LABS  | BradyJet J2000 Colour Label Printer - US with Brady Workstation LAB Suite  |
| 199972      | J2000-US-SFIDS | BradyJet J2000 Colour Label Printer - US with Brady Workstation SFID Suite |



The Basic Suite is included with every printer, download it: [Workstation.BradyID.com/Free](http://Workstation.BradyID.com/Free)



Ensure labels for all your lab samples and equipment are crisp, clear, readable and contain all necessary information. Easily design and create labels for your cryovials, centrifuge tubes, bottles, conicals, slides and other samples in your laboratory. [Workstation.BradyID.com/LAB](http://Workstation.BradyID.com/LAB)



Keep your facility safe and compliant by creating custom signs, label and pipemarkers, adding visual safety guidance. [Workstation.BradyID.com/SafetyAndFacility](http://Workstation.BradyID.com/SafetyAndFacility)

### Ink and accessories

| Article No. | Order Ref. | Description                                       |
|-------------|------------|---|
| 150154      | J20-CMY    | CMY pigment based ink cartridge for J2000 Printer |
| 150160      | J20-CUTTER | Replacement Cutter Blade for J2000                |
| 150163      | J20-PAD    | Replacement Ink Pads for J2000                    |

### B-7425J chemically resistant polypropylene material

This polypropylene material is ideal for GHS and other full-colour identification applications where resistance to harsh chemicals is required.

| Article No. | Order Ref.      | Dimensions                             | Quantity |
|-------------|-----------------|--|----------|
| 150005      | J20-152-7425J   | 25.40 mm W x 9.53 mm H                 | 2000     |
| 150006      | J20-59-7425J    | 25.40 mm W x 12.70 mm H                | 2000     |
| 150007      | J20-257-7425J   | 20.96 mm W x 6.35 mm H                 | 1500     |
| 150011      | J20-151-7425J   | 50.80 mm W x 6.35 mm H                 | 2000     |
| 150015      | J20-88-7425J    | 25.40 mm W x 19.05 mm H                | 2000     |
| 150016      | J20-256-7425J   | 33.02 mm W x 15.24 mm H                | 1500     |
| 150018      | J20-137-7425J   | 50.80 mm W x 25.40 mm H                | 1500     |
| 150019      | J20-136-7425J   | 38.10 mm W x 19.05 mm H                | 1500     |
| 150020      | J20-37-7425J    | 38.10 mm W x 12.70 mm H                | 1500     |
| 150022      | J20-235-7425J   | 38.10 mm W x 25.40 mm H                | 1250     |
| 150023      | J20-249-7425J   | 25.40 mm W x 9.53 mm H x 9.53 mm Dia   | 1500     |
| 150024      | J20-53-7425J    | 50.80 mm W x 12.70 mm H                | 2000     |
| 150025      | J20-179-7425J   | 25.40 mm W x 25.40 mm H                | 1500     |
| 150028      | J20-258-7425J   | 38.10 mm W x 44.45 mm H                | 900      |
| 150033      | J20-251-7425J   | 25.40 mm W x 12.70 mm H x 11.18 mm Dia | 1500     |
| 150541      | J20-261-7425J   | 75.00 mm W x 109.98 mm H               | 270      |
| 150542      | J20C-1125-7425J | 28.58 mm W x 30.48 m L                 | 1        |
| 150543      | J20-260-7425J   | 55.00 mm W x 85.09 mm H                | 340      |
| 150544      | J20-262-7425J   | 105.00 mm W x 154.90 mm H              | 200      |
| 150545      | J20-18-7425J    | 76.20 mm W x 25.40 mm H                | 1000     |
| 150547      | J20C-2250-7425J | 57.15 mm W x 30.48 m L                 | 1        |
| 150548      | J20C-4000-7425J | 101.60 mm W x 30.48 m L                | 1        |

### B-403 water dissolvable paper material

The water dissolvable paper label is self-adhesive and extremely easy to apply. Exposing the label to warm water will completely dissolve it within 30 seconds, without damage to the surface it was applied to, and without leaving any residue.

| Article No. | Order Ref.    | Dimensions               | Quantity |
|-------------|---------------|--------------------------|----------|
| 151239      | J20C-1125-403 | 28.58 mm W x 30.48 m L   | 1        |
| 151240      | J20C-2250-403 | 57.15 mm W x 30.48 m L   | 1        |
| 151241      | J20-55-403    | 101.60 mm W x 50.80 mm H | 250      |
| 151243      | J20-17-403    | 50.80 mm W x 25.40 mm H  | 1500     |
| 151244      | J20-19-403    | 76.20 mm W x 50.80 mm H  | 350      |

### B-2595 vinyl material

Ideal for indoor facility labels, including 5S labels, safety labels, warning labels, pipe markers, equipment labels and visual workplace labels.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 150010      | J20C-1125-2595 | 28.58 mm W x 30.48 m L    | 1        |
| 150013      | J20-260-2595   | 55.00 mm W x 85.00 mm H   | 340      |
| 150014      | J20C-2250-2595 | 57.15 mm W x 30.48 m L    | 1        |
| 150017      | J20C-4000-2595 | 101.60 mm W x 30.48 m L   | 1        |
| 150027      | J20-261-2595   | 75.00 mm W x 110.00 mm H  | 270      |
| 150032      | J20-262-2595   | 105.00 mm W x 155.00 mm H | 200      |
| 150546      | J20-18-2595    | 76.20 mm W x 25.40 mm H   | 1000     |

### B-2551 polyester tags

These tags provide abundant opportunities to colour code tags around your facility, print your own accident prevention, GHS/CLP or confined space tags.

| Article No. | Order Ref.     | Dimensions               | Quantity |
|-------------|----------------|--------------------------|----------|
| 150008      | J20C-3250-2551 | 82.55 mm W x 15.24 m L   | 1        |
| 150012      | J20C-2500-2551 | 63.50 mm W x 15.24 m L   | 1        |
| 150030      | J20-255-2551   | 82.55 mm W x 146.05 mm H | 100      |

### B-2585 polypropylene labels

The material is ideal for international container labelling and yields vibrant, full colour prints and graphics. BS5609 compliant for marine environments.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 150750      | J20-260-2585   | 55.00 mm W x 85.00 mm H   | 340      |
| 150751      | J20-261-2585   | 75.00 mm W x 110.00 mm H  | 270      |
| 150752      | J20-262-2585   | 105.00 mm W x 155.00 mm H | 200      |
| 150758      | J20C-2250-2585 | 57.15 mm W x 30.48 m L    | 1        |
| 150759      | J20C-4000-2585 | 101.60 mm W x 30.48 m L   | 1        |

### B-2569 polyester material

Ideal for indoor facility labels, including 5S labels, safety labels, warning labels, pipe markers, equipment labels and visual workplace labels on stainless steel and smooth surfaces.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 150003      | J20-261-2569   | 75.00 mm W x 110.00 mm H  | 270      |
| 150009      | J20C-4000-2569 | 101.60 mm W x 30.48 m L   | 1        |
| 150021      | J20C-1125-2569 | 28.58 mm W x 30.48 m L    | 1        |
| 150026      | J20-260-2569   | 55.00 mm W x 85.00 mm H   | 340      |
| 150029      | J20-262-2569   | 105.00 mm W x 155.00 mm H | 200      |
| 150031      | J20C-2250-2569 | 57.15 mm W x 30.48 m L    | 1        |

### B-2475 polyester material

Ideal for product labelling, logos, Right to Know labels and barcode applications. UL approved.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 152790      | J20-59-2475    | 25.40 mm W x 12.70 mm H   | 2250     |
| 152791      | J20-136-2475   | 38.10 mm W x 19.05 mm H   | 1000     |
| 152792      | J20-235-2475   | 38.10 mm W x 25.40 mm H   | 750      |
| 152793      | J20-137-2475   | 50.80 mm W x 25.40 mm H   | 750      |
| 152794      | J20-18-2475    | 76.20 mm W x 25.40 mm H   | 750      |
| 152795      | J20-19-2475    | 76.20 mm W x 50.80 mm H   | 250      |
| 152796      | J20-55-2475    | 101.60 mm W x 50.80 mm H  | 250      |
| 152797      | J20-25-2475    | 101.60 mm W x 152.40 mm H | 80       |
| 152798      | J20C-1125-2475 | 28.58 mm W x 30.48 m L    | 1        |
| 152799      | J20C-2250-2475 | 57.15 mm W x 30.48 m L    | 1        |
| 152800      | J20C-4000-2475 | 101.60 mm W x 30.48 m L   | 1        |

### B-2581 repositionable vinyl material

The material can be printed in full colour at your premises when you need them and they are designed for frequent repositioning.

| Article No. | Order Ref.     | Dimensions              | Quantity |
|-------------|----------------|-------------------------|----------|
| 151107      | J20C-1125-2581 | 28.58 mm W x 30.48 m L  | 1        |
| 151108      | J20C-2250-2581 | 57.15 mm W x 30.48 m L  | 1        |
| 151109      | J20C-4000-2581 | 101.60 mm W x 30.48 m L | 1        |

### B-2509 magnetic material

The material can be printed in full colour at your premises when you need them and they adhere to metallic surfaces including most industrial shelves and drawers.

| Article No. | Order Ref.     | Dimensions            | Quantity |
|-------------|----------------|-----------------------|----------|
| 151114      | J20C-2500-2509 | 63.50 mm W x 7.62 m L | 1        |

### B-2550 general purpose paper material

The label is an economical solution for general purpose labelling with a limited lifespan, and can be used to identify packaging.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 151119      | J20-164-2550   | 22.86 mm W x 22.86 mm H   | 1200     |
| 151120      | J20-235-2550   | 40.39 mm W x 25.40 mm H   | 1050     |
| 151121      | J20-88-2550    | 25.40 mm W x 19.05 mm H   | 2700     |
| 151122      | J20-256-2550   | 33.02 mm W x 15.24 mm H   | 1600     |
| 151123      | J20-17-2550    | 50.80 mm W x 25.40 mm H   | 1000     |
| 151124      | J20-53-2550    | 50.80 mm W x 12.70 mm H   | 1900     |
| 151125      | J20-166-2550   | 63.50 mm W x 31.75 mm H   | 850      |
| 151126      | J20-7-2550     | 69.85 mm W x 31.75 mm H   | 850      |
| 151127      | J20-18-2550    | 76.20 mm W x 25.40 mm H   | 1050     |
| 151128      | J20-19-2550    | 76.20 mm W x 50.80 mm H   | 550      |
| 151129      | J20-20-2550    | 76.20 mm W x 127.00 mm H  | 200      |
| 151130      | J20-77-2550    | 101.60 mm W x 101.60 mm H | 280      |
| 151131      | J20-25-2550    | 101.60 mm W x 152.40 mm H | 180      |
| 151132      | J20-55-2550    | 101.60 mm W x 50.80 mm H  | 550      |
| 151133      | J20C-2000-2550 | 50.80 mm W x 30.48 m L    | 1        |
| 151134      | J20C-3000-2550 | 76.20 mm W x 30.48 m L    | 1        |
| 151135      | J20C-4000-2550 | 101.60 mm W x 30.48 m L   | 1        |



## BIG PRODUCTION DOWN TO THE SMALLEST DETAIL

### BradyJet J4000 Colour Label Printer

Complex, highly specific labels in high volumes could mean lower quality print resolution and ineffective identification with other printers. But not with the BradyJet J4000. Maximise productivity and impact with this industry workhorse built to handle the demands of your demanding label and signage needs. Create up to 5,000 impactful full-colour labels per day up to 203.2 mm wide.

- **More time for critical tasks** - When the printer does the busy work, you have more time to focus on the important work needed to keep your operations running smoothly
- **Prints well with others** - Create however it works best for you, then easily print PDFs or from third-party software packages with the optimised Windows driver



#### Specifications

| Software and Connectivity            |  |
|--------------------------------------|--|
| Connectivity Options                 | USB, Ethernet  |
| Software Compatibility               | Brady Workstation<br>Windows based driver for 3rd party software use   |
| User Interface Type                  | PC   |
| Operating System                     | Windows® 7, Windows® 8, Windows® 10  |
| Physical/Operational Characteristics |  |
| Dimensions                           | 438.15 mm (W) x 231.14 mm (H) x 438.15 mm (D)  |
| Weight (kg)                          | 16   |
| Printer Features                     |  |
| Recommended Usage per Day            | 5000   |
| Print Technology                     | Inkjet   |
| Colour Capability                    | Full Colour  |
| Print Resolution (dpi)               | 4800   |
| Max. Print Width (mm)                | 203.20   |
| Max. Label Width (mm)                | 203.20   |
| Max. Print Length (mm)               | 609.60   |
| Media Format                         | Media on Roll and Ink in Cartridge, supplied separately  |
| Print Speed (mm/sec)                 | 114.30   |
| Includes                             | (1) BradyJet J4000 Printer<br>(1) Power Cord<br>(1) CMY Ink Cartridge with built in Printhead<br>(1) Pack of 2 Ink Cartridge Storage Caps<br>(1) Media starter roll 101.60 mm wide B-2595 Vinyl<br>(1) USB Cord<br>(1) USB Flash Drive with product information<br>(1) Brady Workstation Basic Suite |
| Display                              | LED  |

#### Printers

| Article No. | Order Ref.       | Description  |
|-------------|------------------|--|
| 152710      | J4000-US         | BradyJet J4000 Colour Label Printer                                      |
| 152711      | J4000-EU         | BradyJet J4000 Colour Label Printer                                      |
| 152712      | J4000-UK         | BradyJet J4000 Colour Label Printer                                      |
| 310388      | J4000-EU-BWSSFD  | BradyJet J4000 Colour Label Printer with Safety and Facility ID Software |
| 310389      | J4000-EU-BWSPWID | BradyJet J4000 Colour Label Printer with Product and Wire ID Software    |
| 310390      | J4000-EU-BWLABS  | BradyJet J4000 Colour Label Printer with Laboratory Software             |
| 310391      | J4000-UK-BWSSFD  | BradyJet J4000 Colour Label Printer with Safety and Facility ID Software |
| 310392      | J4000-UK-BWSPWID | BradyJet J4000 Colour Label Printer with Product and Wire ID Software    |
| 310393      | J4000-UK-BWLABS  | BradyJet J4000 Colour Label Printer with Laboratory Software             |
| 310442      | J4000-US-BWSSFD  | BradyJet J4000 Colour Label Printer with Safety and Facility ID Software |
| 310443      | J4000-US-BWSPWID | BradyJet J4000 Colour Label Printer with Product and Wire ID Software    |
| 310444      | J4000-US-BWLABS  | BradyJet J4000 Colour Label Printer with Laboratory Software             |



Keep your facility safe and compliant by creating custom signs, label and pipemarkers, adding visual safety guidance. [Workstation.BradyID.com/SafetyAndFacility](http://Workstation.BradyID.com/SafetyAndFacility)



Quickly identify your products and wires with customised text or graphical labels, using serialised or imported data. Quickly identify your products and wires with customised text or graphical labels, using serialised or imported data. [Workstation.BradyID.com/ProductandWire](http://Workstation.BradyID.com/ProductandWire)



Ensure labels for all your lab samples and equipment are crisp, clear, readable and contain all necessary information. Easily design and create labels for your cryovials, centrifuge tubes, bottles, conicals, slides and other samples in your laboratory. [Workstation.BradyID.com/LAB](http://Workstation.BradyID.com/LAB)

#### Ink and storage caps

| Article No. | Order Ref. | Description                              |
|-------------|------------|--|
| 152714      | J40-CMY    | BradyJet J4000 Full Colour Ink Cartridge |
| 152713      | J40-CAP    | J4000 Ink Cartridge Storage Caps         |

#### B-7425J chemically resistant polypropylene material

This polypropylene material is ideal for GHS and other full-colour identification applications where resistance to harsh chemicals is required.

| Article No. | Order Ref.      | Dimensions                | Quantity |
|-------------|-----------------|---------------------------|----------|
| 152778      | J40-260-7425J   | 55.19 mm W x 85.09 mm H   | 340      |
| 152779      | J40-262-7425J   | 104.90 mm W x 154.94 mm H | 200      |
| 152780      | J40-265-7425J   | 177.80 mm W x 254.00 mm H | 100      |
| 152781      | J40-321-2475J   | 203.20 mm W x 133.35 mm H | 100      |
| 152782      | J40-268-2475J   | 203.20 mm W x 279.40 mm H | 100      |
| 152783      | J40C-2250-7425J | 57.15 mm W x 30.48 m L    | 1        |
| 152784      | J40C-4000-7425J | 101.60 mm W x 30.48 m L   | 1        |
| 152785      | J40C-6000-7425J | 152.40 mm W x 30.48 m L   | 1        |
| 152786      | J40C-8000-7425J | 203.20 mm W x 30.48 m L   | 1        |

#### B-2585 polypropylene labels

The material is ideal for international container labelling and yields vibrant, full colour prints and graphics. BS5609 compliant for marine environments.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 150753      | J50-260-2585   | 55.00 mm W x 85.00 mm H   | 340      |
| 150754      | J50-261-2585   | 75.00 mm W x 110.00 mm H  | 270      |
| 150755      | J50-262-2585   | 105.00 mm W x 155.00 mm H | 200      |
| 150756      | J50-267-2585   | 154.90 mm W x 210.00 mm H | 120      |
| 150757      | J50-268-2585   | 203.00 mm W x 280.00 mm H | 100      |
| 150760      | J50C-2250-2585 | 57.15 mm W x 30.48 m L    | 1        |
| 150761      | J50C-4000-2585 | 101.60 mm W x 30.48 m L   | 1        |
| 150762      | J50C-6000-2585 | 152.40 mm W x 30.48 m L   | 1        |
| 150763      | J50C-8000-2585 | 203.20 mm W x 30.48 m L   | 1        |

#### B-2595 vinyl material

Ideal for indoor facility labels, including 5S labels, safety labels, warning labels, pipe markers, equipment labels and visual workplace labels.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 148651      | J50-262-2595   | 154.94 mm W x 104.90 mm H | 200      |
| 148653      | J50C-4000-2595 | 101.00 mm W x 30.00 m L   | 1        |
| 148656      | J50C-2250-2595 | 57.00 mm W x 30.00 m L    | 1        |
| 148657      | J50-260-2595   | 85.09 mm W x 55.12 mm H   | 340      |
| 148659      | J50-265-2595   | 254.00 mm W x 177.80 mm H | 100      |
| 148660      | J50-261-2595   | 109.98 mm W x 74.93 mm H  | 270      |
| 148663      | J50C-8000-2595 | 203.20 mm W x 30.00 m L   | 1        |
| 148664      | J50-267-2595   | 154.94 mm W x 210.00 mm H | 120      |
| 148666      | J50C-6000-2595 | 152.00 mm W x 30.00 m L   | 1        |

#### B-2569 polyester material

Ideal for indoor facility labels, including 5S labels, safety labels, warning labels, pipe markers, equipment labels and visual workplace labels on stainless steel and smooth surfaces.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 148652      | J50C-6000-2569 | 152.00 mm W x 30.00 m L   | 1        |
| 148654      | J50-262-2569   | 154.94 mm W x 104.90 mm H | 200      |
| 148655      | J50C-8000-2569 | 203.20 mm W x 30.00 m L   | 1        |
| 148658      | J50C-4000-2569 | 101.00 mm W x 30.00 m L   | 1        |
| 148661      | J50-261-2569   | 109.98 mm W x 74.93 mm H  | 270      |
| 148662      | J50-260-2569   | 85.09 mm W x 55.12 mm H   | 340      |
| 148665      | J50C-2250-2569 | 57.00 mm W x 30.00 m L    | 1        |
| 148667      | J50-265-2569   | 254.00 mm W x 177.80 mm H | 100      |
| 148668      | J50-267-2569   | 154.94 mm W x 210.00 mm H | 120      |

#### B-2581 repositionable vinyl material


The material can be printed in full colour at your premises when you need them and they are designed for frequent repositioning.

| Article No. | Order Ref.     | Dimensions              | Quantity |
|-------------|----------------|-------------------------|----------|
| 151110      | J50C-2250-2581 | 57.15 mm W x 30.48 m L  | 1        |
| 151111      | J50C-4000-2581 | 101.60 mm W x 30.48 m L | 1        |
| 151112      | J50C-6000-2581 | 152.40 mm W x 30.48 m L | 1        |
| 151113      | J50C-8000-2581 | 203.20 mm W x 30.48 m L | 1        |

#### B-2475 polyester material

Ideal for product labelling, logos, Right to Know labels and barcode applications. UL approved.

| Article No. | Order Ref.     | Dimensions                | Quantity |
|-------------|----------------|---------------------------|----------|
| 152802      | J40-136-2475   | 38.10 mm W x 19.05 mm H   | 1000     |
| 152803      | J40-235-2475   | 38.10 mm W x 25.40 mm H   | 750      |
| 152804      | J40-137-2475   | 50.80 mm W x 25.40 mm H   | 750      |
| 152805      | J40-18-2475    | 76.20 mm W x 25.40 mm H   | 750      |
| 152806      | J40-19-2475    | 76.20 mm W x 50.80 mm H   | 250      |
| 152807      | J40-55-2475    | 101.60 mm W x 50.80 mm H  | 250      |
| 152808      | J40-25-2475    | 101.60 mm W x 152.40 mm H | 80       |
| 152809      | J40C-1125-2475 | 28.58 mm W x 30.48 m L    | 1        |
| 152810      | J40C-2250-2475 | 57.15 mm W x 30.48 m L    | 1        |
| 152811      | J40C-4000-2475 | 101.60 mm W x 30.48 m L   | 1        |
| 152812      | J40C-8000-2475 | 203.20 mm W x 30.48 m L   | 1        |



## Design, print and manage your labelling with software

### Brady Workstation Desktop Software

Design and print labels seamlessly with Brady Workstation software suites and apps specially designed for a variety of common industry-related tasks. Along with popular time-saving features like auto-formatting and built-in templates, Brady Workstation features an intuitive interface that integrates seamlessly with the work you do.



#### Other apps and suites are available:




1. Go to [workstation.bradyyd.com](http://workstation.bradyyd.com)




2. Select the apps and suites you want

For more information and to get started, go to [workstation.bradyyd.com](http://workstation.bradyyd.com)



#### Safety and Facility Identification Suite

Make colourful visuals to keep your facility safe and compliant. This group of apps helps you create signs, labels, pipe markers and lean visuals. Use predefined templates or customise to suit your needs.




#### Laboratory Identification Suite

Ensure labels for all your lab samples and equipment are crisp, clear, readable and contain all necessary information. Easily design and create labels for your cryovials, centrifuge tubes, bottles, conicals, slides and other samples in your laboratory.



#### Product Wire Identification Suite

Quickly identify your products and wires with customised text or graphical labels, using serialised or imported data. Quickly identify your products and wires with customised text or graphical labels, using serialised or imported data.



#### GHS/CLP Chemical Identification App

Get a streamlined label creation process so you can easily enter the data just once from your SDS sheets, then create and print GHS labels on demand. You can also auto-populate your GHS label using the built-in chemical database.



**Africa**

Randburg, South Africa  
 Tel.: +27 11 704 3295  
 Email: africa@bradycorp.com

**Benelux**

Zele, Belgium  
 Tel.: +32 (0) 52 45 78 11  
 Email: benelux@bradycorp.com

**Central & Eastern Europe**

Bratislava, Slovakia  
 Tel.: +421 2 3300 4800  
 Email: central\_europe@bradycorp.com

**Denmark**

Odense  
 Tel.: +45 66 14 44 00  
 Email: denmark@bradycorp.com

**France**

Roncq  
 Tel.: +33 (0) 3 20 76 94 48  
 Email: france@bradycorp.com

**Germany, Austria & Switzerland**

Egelsbach, Germany  
 Tel.: +49 (0) 6103 7598 660  
 Email: germany@bradycorp.com

**Hungary**

Budaörs  
 Tel.: +36 23 500 275  
 Email: central\_europe@bradycorp.com

**Italy**

Gorgonzola  
 Tel.: +39 02 26 00 00 22  
 Email: italy@bradycorp.com

**Middle East FZE**

Dubai, UAE  
 Tel.: +971 4881 2524  
 Email: me@bradycorp.com

**Norway**

Kjeller  
 Tel.: +47 70 13 40 00  
 Email: norway@bradycorp.com

**Russia**

Moscow  
 Tel.: +7 495 269 47 87  
 Email: central\_europe@bradycorp.com

**Spain & Portugal**

Madrid, Spain  
 Tel.: +34 900 902 993  
 Email: spain@bradycorp.com,  
 portugal@bradycorp.com

**Sweden, Finland, Baltic states**

Kista, Sweden  
 Tel.: +46 (0) 8 590 057 30  
 Email: sweden@bradyeurope.com

**Turkey**

Istanbul  
 Tel.: +90 212 264 02 20 / 264 02 21  
 Email: turkey@bradycorp.com

**UK & Ireland**

Banbury, UK  
 Tel.: +44 (0) 1295 228 288  
 Email: uk@bradycorp.com

**Our mission is to identify and protect people, products and places**



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on [www.bradyeurope.com](http://www.bradyeurope.com).

 Search for: EUR-M-224-EN

Your distributor

08/11/2021